

**COPY THIS PAGE OR VIEW FROM A SECOND SCREEN**

The software always displays 3 tutoring models:

- (1) Accessibility to more than 60 educational videos.
- (2) Each time the cursor moves, new instructions appear on the screen.
- (3) The file below shows instructions to follow.

## **Sumaries**

1-Save time and labor producing an estimate.....	2
2-Principale of calculating a basic take-off. ....	3
3-Fixes to basic takeoff. ....	4
4-Access several estimator training tutorials .....	5
5-View, select, or refresh program price lists.....	6
6-View, select or distribute purchase orders.....	7
7-View a tutorial explaining options for editing project products .....	8
8- See options for copying, importing, or distributing projects.....	9
9- Check out the many possibilities that Predykt offers you. ....	10
10-View a report of the detailed steps of a project.....	12
11-View a report for financial institutions.....	13
12 View a Sample Purchase Order.....	14
13-Choose the language used by your program (French/English) .....	15

## 1-Save time and labor producing an estimate

### DESCRIPTION OF LABOR TIME

ESTIMATE FROM A PLAN INCLUDING THE WRITING OF ORDER FORMS (+- 70% time savings)

Taking measurements of the foundations.	= +/- 5 minutes (Transfers to all floors)
Floor (Modifications to floors, ceilings, walls).	= Between 5 and 10 minutes per floor
Garage.	= +/- 5 minutes
Balconies.	= +/- 5 minutes each
Terrace in the basement.	= +/- 5 minutes each
Rooms (Ex: living room, bedrooms, kitchen, bathroom etc.)	= Between 2 and 10 minutes per room
Roofs Set of 2 identical panels	= +/- 5 minutes per set
Land Ex=grass, stony car parks etc.	= +/- 5 minutes

- COPY OF A PLAN STATEMENT INSTALLED ON A NEW SITE:

The copy of the plan statement is instantaneous and the software needs +/- 10 minutes to install and customize this new plan statement on a new site.

- RECEIPT OF A PLAN STATEMENT FROM AN EXTERNAL SOURCE:

Receipt of a plan statement is instantaneous and the software needs +/- 10 minutes to install and personalize this new plan statement on a new site.

---

## 2-Principale of calculating a basic take-off.

1st: Press the "FOUNDATIONS" tab and follow the instructions by entering the dimensions of the foundations to instantly produce the basic take-off of the basement, the basement walls, the foundations and the 6 upper floors of the project. (Foundations, floors, ceilings and exterior walls)

2nd: Press the "GARAGE" tab and follow the instructions by entering the dimensions of the foundations to instantly produce the take-off of the garage. (Foundations, floors, ceilings and exterior walls)

3rd: Press the "CONCRETE BALCONY" tab and follow the instructions by entering the dimensions of the balcony deck to obtain a basic take-off.

4th: Press the "BASEMENT TERRACE" tab and follow the instructions by entering the dimensions of the terrace foundations to obtain a basic take-off.

5th: Press the "INTERIOR PARTS" tab and follow the instructions by entering the dimensions of the room to obtain a basic take-off.

6th: Press the "ROOF" tab and follow the instructions by entering the dimensions of roof panels of similar shapes to obtain a basic take-off. Repeat for each similar panel.

### **3-Fixes to basic takeoff.**

#### **1st: FLOOR CORRECTIONS**

Below each step several sections are displayed. (Ex: Floors, ceilings, exterior walls, etc.) which allows, by following the instructions displayed, to add, delete or modify the products to adjust it to each project.

#### **2nd CORRECTIONS OF CONCRETE BALCONIES**

Under the “CONCRETE BALCONY” step, several sections are displayed. (Ex: Columns, ramps, ceiling etc.), which allows, by following the instructions displayed, to add, delete or modify the products to adjust it to each project.

#### **3rd CORRECTIONS OF THE BASEMENT TERRACES**

Under the “CONCRETE BALCONY” step, several sections are displayed. (Ex: Columns, ramps, stairs etc.), which allows, by following the instructions displayed, to add, delete or modify the products to adjust it to each project.

#### **4th ROOF CORRECTIONS**

Under the “ROOF” step, several sections are displayed. (Ex: products, gables, cornice, flat roof, etc.), which allows, by following the instructions displayed, to add, delete or modify the products to adjust it to each project.

#### **5th CORRECTIONS OF INTERIOR PARTS**

Under the “INTERIOR PARTS” step, several sections are displayed. (Ex: Kitchen, bathroom, cabinets, stairs, mechanics, electricity etc.), which allows, by following the instructions displayed, to add, delete or modify the products to adjust it to each project.

#### 4-Access several estimator training tutorials

THESE TEXTS ARE USED FOR ADVISORY PURPOSES ONLY.

##### ESTIMATING GUIDE

- **CONCEPT:**

Enable estimators to produce a plan statement using in-software videos and on-screen commentary indicating the direction to be taken for this production.

- *GENERAL PLAN ESTIMATING GUIDE:*

Allow a subscriber to answer the various questionnaires in the software using the tutorials displayed to produce complete drawings and view by default all detailed product price reports and the default drafting of purchase orders for each supplier of the project.

- *TRAINING OF ESTIMATORS AND PROJECT MANAGERS:*

Enable amateur or professional estimators to produce a plan survey using videos integrated into the software. The software also displays comments with instructions on how to complete each plan statement.

*This software provides access to +/- 60 videos teaching the installation of different project products (e.g. Gypsum, Division, Cabinets and others).*

- [Predykt's Mission](#)
- [Predykt's Concept](#)
- [Predykt's Comments](#)
- [Architecture Predykt](#)

## 5-View, select, or refresh program price lists.

THESE TEXTS ARE USED FOR ADVISORY PURPOSES ONLY.

THE SOFTWARE'S MAIN PRICE LIST IS INCLUDED BY DEFAULT IN ANY NEW PROJECT.  
FROM THIS LIST, THE USER CAN CREATE INTERNAL PRICE LISTS, THE PRICES OF WHICH CAN BE ADJUSTED BY THE USER

- **SEARCH PRICE LIST:**

Click on the "PRICE LIST" tab on the software home page to access and manage the price lists of the software.

A daily internal update of the software ensures that all active projects using this price list are displayed at current market prices.

- *HOUSE PRICE LIST:*

To get a homemade price list, activate the "PRICE LIST" cell and then select a price list from the scroll arrow in the software and copy it, renaming it while adjusting the prices and assigning it to a new project.

- *SUPPLIER PRICE LIST:*

The price list of a supplier's product category sent to its customer via the internet transfers these prices directly to the regional in-house price list of the customers project

Any other product category price list accepted by a customer is automatically transferred to their in-house price list and supersedes all previous prices for that product category.

## 6-View, select or distribute purchase orders.

BY ACTIVATING THE SOFTWARE'S OPTIONS, THE SOFTWARE WRITES ALL THE ORDERS IN THE PROJECT AS IT GOES BY DEFAULT AND TRANSFERS THEM TO THE SUPPLIERS REGISTERED WITH THE SOFTWARE.

THE FOLLOWING TEXTS COMMENT ON THE OPERATION OF PURCHASE ORDERS

- *CONCEPT:*

Tap the "Orders" tab on the software's home page to find, view, manage, and distribute all project purchase orders to the various suppliers enrolled in the software.

- *AUTOMATIC DRAFTING OF THE PURCHASE ORDER:*

By tracking the progress of the work, the default software transcribes all the purchase orders of the project into the purchase order file as the work progresses, assigning them to each category of suppliers.

- *CONTENTS OF PURCHASE ORDERS:*

By default, the purchase order displays the purchase order number, the quantity, the price of the products and their location, the category of the products, the delivery date, etc. The user must identify the supplier and fill out their registration form before completing their shipment.

- *INDIVIDUAL PURCHASE ORDER SENDING:*

Using the information displayed on this page, the client completes the data in the file and distributes it electronically to the various registered suppliers of the project.

- *BULK SENDING OF PURCHASE ORDERS:*

The prices of a supplier's product categories delivered to its customer are integrated into its regional price list by default. The software uses this information to enter it in purchase orders and automatically return it to its customer.

## 7-View a tutorial explaining options for editing project products

THESE TEXTS ARE USED FOR ADVISORY PURPOSES ONLY.

BY CHANGING THE HEIGHT (8' FOR 9') AND WIDTH (6" FOR 4") OF THE EXTERIOR WALLS WITH A SINGLE CLICK, THE SOFTWARE CHANGES THE 8' POSTS TO 9' POSTS, CHANGES 2" X 6" POSTS TO 2" X 4" POSTS, CHANGES R20/16 WOOL FOR R12/16 WOOL AND RECTIFIES THE QUANTITIES OF ALL AFFECTED EXTERIOR WALL PRODUCTS.

THIS LAW APPLIES TO THE PRODUCTS OF EACH STAGE OF THE PROJECT.

- *ADD, REMOVE, OR EDIT PRODUCTS:*

Enabled: A query automatically displays a step option that can be added, removed, or modified products or metrics from that step, if necessary.

- *TERRAIN:*

Activating the options in the "ADJUSTMENTS" step of the software allows you to select a parcel of land and determine its location, square footage, and price. The software also calculates excavation, landscaping, municipal services by default and installs if necessary all the services applicable to that land and more.

- *FLOORS:*

Step options can add, remove, or modify products or floor measurements for each floor with just a few clicks. He selects floor support products, selects or adds plywood, changes a wood floor for a concrete floor, changes the floor thickness and installs everything that applies to the floors according to the needs of the outdoor project and more.

- *CEILINGS:*

The options for each step, with just a few clicks, allow you to add, remove or modify products from the ceiling of each floor. Options allow you to install blown wool or fiberglass, wood or metal slats by selecting its spacing, insulating panels, fire protection and install anything that applies to exterior ceilings and more as needed.

- *EXTERIOR WALLS:*

The options for these floors allow you to add, remove or modify certain products from the exterior walls of each floor of the project with just a few clicks. Options can change exterior siding, wall height and thickness, install gutters, change regular walls to machined walls, and change everything that applies to exterior walls and more.

- *ROOF:*

The options in this step of the software allow you to calculate, add, delete or modify certain roof products with just a few clicks. The options allow you to modify plywood as an example, install or not install a protective membrane, and install as needed everything that applies to the project's roof and more.

- *SUBMISSION:*

The options in this step of the software make it possible, in just a few clicks, to replace the calculated products of the software with quotes from different registered suppliers. The options allow, for example, to modify the purchase orders for the gypsum group, the mechanical group or the interior finishing product group or any other by bids from registered suppliers and more.

## 8- See options for copying, importing, or distributing projects

- **SELECT A PROJECT FROM THE LIST:**

From the "Projects" form on the software's home page, select a project to review and validate it by pressing the "ACCESS" cell. The software displays the "RESULTS", "Price List" and "ORDER" cells and all the material and labor products compiled for the completion of the project and more.

- **SELECT A PROJECT FROM THE LIST:**

From the "Projects" form on the software's home page, select a project to review and validate it by pressing the "ACCESS" cell. The software displays the "RESULTS", "Price List" and "ORDER" cells and all the material and labor products compiled for the completion of the project and more.

- ***COPY A PROJECT FROM THE LIST:***

*To reproduce an existing project on a new site, select this project in the "Projects" form and press "ACCESS". Tap the "COPY" cell to reinstall this new project to be renamed to a new site. Tap the wrench icon and complete the project. and more.*

- **DISTRIBUTE A DRAFT FROM THE LIST:**

To transfer an existing project via the Internet to a new user registered with the software, tap on the home page on the house icon and the "Send Project" cell by filling out this form to transfer it to a subscriber who requests it and more.

## 9- Check out the many possibilities that Predykt offers you.

THESE TEXTS ARE USED FOR ADVISORY PURPOSES ONLY.

- **PLAN STATEMENT CAN BE REUSED AT WILL:**

The multiple reuse of the same project on other sites reduces the calculation estimate for these future projects to almost zero:

1 project = 1 estimator = 1 Project Manager  
10 identical projects = 0 estimators and no costs = 1 Director for each project

- **SELECTION OF STEPS FOR PROJECT TRAINING:**

Choose from the home page the stages (Floors, Garage, Roof, etc.) that will form the new project.

- **STARTING A PROJECT:**

In the "FOUNDATION" step option, enter the length and width of the foundations, following the instructions in the program. This action activates the software that transfers purchase orders for each product category of materials and labor from foundations, floors, ceilings, and exterior walls of all selected floors of the project to suppliers.

- **INSTALLATION OF A PROJECT ON A PLOT OF LAND:**

The TERRAIN options integrated into the software manage costs not initially displayed due to the lack of knowledge of its location. By activating the options chosen by the user, the software uses this new information and determines the excavation of the foundation, the import or export of soil, landscaping, parking lots, utilities, professional services, taxes and other products brought to this new site.

- **RECEPTION OR DISTRIBUTION OF EXISTING PROJECTS:**

Order or receive a plan statement (e.g. house, duplex, triplex or other) and reproduce it on your site. The user installs the project on a known site and incorporates the excavation products (e.g. Water inlet, Lawn, Parking, Excavation and others), confirms his choice of products (e.g. Bricks or Aluminum) and activates his in-house price list if necessary. Using a report, the web-based software sends a financing request to a banking institution and distributes the project purchase orders to each project.

- 

- **INCREASED SALES:** The software contains all the products of the project (e.g. Soundproofing, Exterior Siding, Gypsum, Cabinets, etc.), their quantity, price, location and supplier category allows material centers to guide their customers on these unavailable products.

- **PRODUCT TRANSFER:**

The supplier electronically transmits the details of the prices of these products to the user and receives orders from the user in return from the user containing the quantity of products, their price, their location, the date and the delivery address.

### **PRODUITS AJUSTABLES:**

Upon receipt of a project and with the help of a few clicks, all the material and labor products of the project can be added, deleted or modified according to the options chosen by the user.

- **TUTORIALS AND VIDEOS:**

The software's tutorials display instructions to follow throughout the learning process and give you access to (+/- 60 videos) demonstrating the installation method of these products (Ex: Mineral Wool, Tar, Gypsum, Paint, etc.) at each stage of the project and more.

- **PROJECT FINANCING:**

In search of financing, the software sends a complete and detailed report of the project plan statement to financial institutions.

- **SUBMISSION:**

Proposal of a quote from a supplier as a substitute for the detailed compilation of all project products calculated by the software.

- **PURCHASE ORDERS:**

By default, displays all purchase orders using the master price list that is built into the software and updated daily. The master price list modified by the user and adjusted by different vendors forms a local price list displaying new prices for the project.

- ***PRICE LIST***

The regularly updated software master price list is included by default in any new project received to keep product prices and project costs up to date. The in-house price list replaces the official software list by integrating the new prices into the project and stops the counter for that project.

## 10-View a report of the detailed steps of a project

Foundation 20,310.86 \$  
Garage 15,303.00 \$  
First floor 25,670.61 \$  
Basement 6,820.43 \$  
Second floor 24,822.04 \$  
Roof 21,479.14 \$  
Dining room 5,648.74 \$  
Living room 5,606.06 \$  
Bedroom 1 4,252.26 \$  
Bedroom 2 4,252.26 \$  
Master Bedroom 4,383.85 \$  
2nd Passage 3,130.71 \$  
Family Room 12,081.77 \$  
Indoor Garage 12,392.06 \$  
Storage 1,471.37 \$  
Basement Bathroom 5,799.70 \$  
Kitchen 16,619.74 \$  
Ground Floor Bathroom 3,486.33 \$  
Laundry Room 3,701.74 \$  
Hall 10,449.61 \$  
Bathroom ss 12,148.92 \$  
Ground floor staircase 2,228.00 \$

**Subtotal: 334,238.41 \$**

**Provincial taxes (9.975 %): 33,340.281 \$**

**Federal taxes (5.000 %): 16,711.921 \$**

**Total: \$ 384,290.61**

Haut du formulaire

### 11-View a report for financial institutions

Land 100,000.00 \$

Excavation 12,480.00 \$

Foundation 18,750.61 \$

Frame Structure 50,379.28 \$

Sash & Door 11,225.00 \$

Plumbing 14,022.00 \$

Electricity 12,980.00 \$

Ventilation/heating 3,850.00 \$

Gypsum 15,468.34 \$

Paneling 10,680.57 \$

Bricks 5,046.00 \$

Exterior Covering 10,888.00 \$

Painting 5,910.80 \$

Floor Covering 13,984.00 \$

Cupboard 13,147.00 \$

Various 3,419.00 \$

**Subtotal: 302,230.60 \$**

**Provincial taxes (9.975 %): 30,147.502 \$**

**Federal taxes (5.000 %): 15,111.530 \$**

**Total: 347,489.63 \$**

Haut du formulaire

[12 View a Sample Purchase Order](#)

THESE TEXTS ARE USED FOR ADVISORY PURPOSES ONLY.

**Command order #0479-27**

**Shipping address** TEXT, TEXT, TEXT  
**Resource Person** mimimaltais@videotron.ca  
**Order by** 294 # 16 Rang des vingt Saint-Basile-le-Grand Québec, j2b7c6  
**Billings**  
**Supplier** Without supplier  
**Ordered the** 2023-12-09 14:22:59  
**Shipped the**  
**Unique id** 11EE95CB3D3D0479A2DC42010A800002

<b>Floor</b>	<b>Building</b>	<b>Quantity</b>	<b>Product</b>
			Insulation Materials
Foundations	Structure	3 Unit	Polythene 10'x 100' 10mil.
Basement	Structure	5 Unit	Wool (Wood) R12/23 (150.1)
Basement	Structure	2 Unit	Polythene 10'x 100' 10mil.
Basement	Structure	2 Unit	Polythene 20'X100' 6mil.

### 13-Choose the language used by your program (French/English)

THESE THIS PAGE IS FOR ADVISORY PURPOSES ONLY. AND IS IN NO WAY RELATED TO THE SOFTWARE.

CHANGING THE LANGUAGE OF A COMPLETED PROJECT TRANSLATES THE LANGUAGE OF CURRENT PLAN STATEMENTS.

Select a project and tap Access. Tap the black arrow (top of the page on the left) to go to a new page. On the new page, (at the top of the page on the left) choose the desired language (French/English). Tap Connect and follow the instructions to sign in.

The change of language gives access to a complete translation of the project.





















- 

- 

-